# Index to volume 70

## Author index


A

Abbey H, 367
Abdou NI, 445
Adkinson NF Jr, 316 (Correspondence)
Agarwal MK, 432, 437
Anderson MC, 343
Ashman RF, 465
Atkins PC, 321

B

Baer H, 343
Barbee RA, 199
Baskerville JC, 288
Bauman N, 353
Befus AD, 407 (Postgraduate course presentation)
Bernstein IL, 24, 383, 393
Bernstein M, 205
Bienenstock J, 407 (Postgraduate course presentation)
Black M, 178
Bonnetblanc JM, Gualde N, Catanzano G, Roux J, 12 (Abst.)
Borum P, 211
Bousquet J, 145 (Correspondence)
Brockman JA, 353
Brooks CD, 373
Brooks L, Cropp G, 7 (Abst.)
Brooks SM, 56
Brown MJ, 73
Brown WR, 299
Bukantz SC, 120
Burge HA, 101
Burrows B, 199
Butcher BT, 231
Butler D, 373
Butler HL, Byrne WJ, Marmer DJ, Euler AR, Steele RW, 22 (Abst.)

C

Cade JF, Clancy RL, Walker SE, Pain MCF, 3 (Abst.)
Cantor Y, 465
Capra JD, 399
Cartier A, 170
Castrow F, 8 (Abst.)
Causon R, 73
Cerrina J, Denjean A, Alexander G, Lockhart A, Duraux P, 6 (Abst.)
Chaintreuil J, 88
Chan SC, 452
Chan-Yeung M, 32
Charpentier B, Fournier C, Fries D, Mathieu D, Noury J, Bach JF, 12 (Abst.)
Chen SE, 383, 393
Cheung N-KV, 191
Cohen SH, 183
Conolly ME, 423
Cook RD, 299
Corkey C, Gelfand E, 21 (Abst.)
Cormier SM, 18 (Abst.)
Coupe M, 88
Couturier P, 145 (Correspondence)
Crastes de Paulet A, 88

D

Dahl R, 361
Dall'Aglio P, Allegri L, Brianti E, Chizzolini C, Ciccone E, Ferrari C, Migone L, 12 (Abst.)
Damon M, 88
Day JH, 205
De Carolis C, 219 (Correspondence)
Denburg J, 407 (Postgraduate course presentation)
De Sanctis G, 219 (Correspondence)
deShazo RD, 41
de Vries K, 272
Dorsch W, 236
Durda PJ, 353
Dyer J, 82

F

Fagan DL, 399
Feuerman EJ, 314 (Correspondence)
Fink JN, 11
Fish JE, Ankin MG, Adkinson NF Jr, Peterman VI, 14 (Abst.)
Fisher MM, More DG, 13 (Abst.)
Fisher MS, Kripke ML, 15 (Abst.)
Flandre O, 88
Flesher KA, 243
Fox RW, 120
Fredens K, 361
Frenkiel S, 178
Frith EM, 458
Frith PA, 170

G

Galant SP, 377
Geiger R, 236
Georgitis JW, 243
Giuseppe P, 222 (Correspondence)
Gleich GJ, 129 (Allergy grand rounds), 160 (Postgraduate course presentation), 221 (Correspondence), 261
Godard P, 88
Goldstein RA, 4
Gong HR, Tashkin DP, Calvarese BM, 15 (Abst.)
Goodacre R, 407 (Postgraduate course presentation)
Graber CD, Goust JM, Giassman AD, Kendall R, Loadholt CB, 4 (Abst.)
Grammer L, Levitz D, Roberts M, Pruzansky JJ, Zeiss CR, 11 (Abst.)
Grant JA, 281
Gray RL, 109
Grewe SR, 452
Gurwitz D, Mindorff C, Levison H, 23 (Abst.)

H

Halonen M, 199
Haluszka J, 306
Hamburger RN, 143 (Correspondence)
Hanifin JM, 452
Hargreave FE, 170
Harvey RP, 337
Henderson LL, 261
Higbee MD, 377
Hill D, Hosking C, Shelton M, Turner M, 5 (Abst.)
Hill DJ, Hosking CS, Shelton MJ, Turner MW, 19 (Abst.)
Hiratani M, 481
Hirsch SR, 183
Hoffmann J, Kramps J, Dijkman J, 23 (Abst.)
Homburger, HA, 474
Hui KKP, 423


---

July, pp. 1-72; August, pp. 73-148; September, pp. 149-224; October, pp. 225-316; November, pp. 317-406; December, pp. 407-502.

Abstracts: August, pp. 1-4; September, pp. 5-10; October, pp. 11-14; November, pp. 15-18; December, pp. 19-24.

I

Ishizaka K, Suemura M, Yodoi J, Hirashima M, 1 (Abst.)
Ito S, 481

J

Jackson R, Teichgraeber J, 18 (Abst.)
Jacob GL, 474
Jacobs L, O'Malley J, Freeman A, Ekes R, 6 (Abst.)
Jacobs RL, 125
Jacobs RL, Lowe RS, Lanier BQ, 7 (Abst.)
Jenne JW, 413 (Editorial)
Jennings B, 288
Johansson SA, 288
Johnson DA, Gordon MA, 23 (Abst.)
Johnston P, 367
Jones RT, 432, 437

K

Kagey-Sobotka A, 248
Kalbfleisch JH, 183
Kaliner M, 82
Kaplan AP, 315 (Correspondence)
Kasei M, 481
Kauffman HF, 272
Kay AB, 73, 317 (Editorial)
Kirkegaard J, 211
Kivity S, Souhrada JF, 9 (Abst.)
Knudson RJ, 199
Koëter GH, 272
Kohler PF, 299
Krause RM, 2
Kumar M, 377
Kwasnicki JM, 191

L

Labovitz E, Spector S, 10 (Abst.)
Larsson EL, 20 (Abst.)
Lasarow E, 465
Lebowitz MD, 199
Lee TH, 73, 317 (Editorial)
Lefcoe NM, 288
Lemanske RF Jr, Bush RK, 21 (Abst.)
Lichtenstein LM, 248
Liebling M, 465
Littner MR, 423
Lockey RF, 120, 221 (Correspondence)

M

Maansson A, 211
Magnusson CGM, 326
Mahmood T, 445
Mak H, 367
Mallampati S, 8 (Abst.)
Manguso RL, 299
Mariella R, 222 (Correspondence)
Marsh DG, 248
Marx JJ Jr, 109
Masson PL, 326
Mathison DA, 220 (Correspondence)
McCormick JR, Thrall RS, Ward PA, Moore VL, Fink JN, 9 (Abst.)
McGinnis JM, 1
McMurray DN, 94
Meltzer EO, Kemp JP, Orgel A, Izu AE, 8 (Abst.)
Mendoza GR, Minagawa K, Orner FB, Stiehm ER, 3 (Abst.)
Merlin S, 82
Metcalfe DD, 82
Metzler C, 373
Meurs H, 272
Michel FB, 88
Miklaszewska J, 306
Moore VL, 114
Moroz LA, 315 (Correspondence)
Mueller UR, 281
Muilenberg ML, 101
Muto K, 481
Myers JR, Corrao WM, Braman SS, 4 (Abst.)
Mygind N, 149 (Postgraduate course presentation), 211

N

Nagy L, 73
Nakagawa T, Moyseyenko O, de Weck AL, 13 (Abst.)
Nakazawa T, 114
Nelson BL, 125
Nelson HS, 417
Nogrady SG, Bevan C, 1 (Abst.)
Norman PS, 248, 343

O

O'Neil CE, 231
Orgel HA, 143 (Correspondence)
Oshida Y, 481
Osterhammel P, 211

P

Pagano RJ, 353
Patterson R, 15, 19, 70
Pearce F, 407 (Postgraduate course presentation)
Peatfield R, Gawel M, Rose F, 18 (Abst.)
Pedersen FK, Henrichsen J, Schiffman G, 20 (Abst.)
Perricone R, 219 (Correspondence)
Phillips SF, 129 (Allergy grand rounds)
Pruzansky JJ, 15, 19
Pryjma JR, 306

R

Rastogi SC, 343
Reed CE, 38
Reed MA, 231
Reid MJ, 191
Reimann HJ, 236
Reisman RE, 281, 314 (Correspondence)
Reyes MA, 94
Ring J, 16 (Abst.), 236
Ripani LM, 114
Roberts R, 170

S

Sage D, 24 (Abst.)
Saha K, Suri K, Gupta S, 22 (Abst.)
Salvaggio JE, 5, 231
Saravia NG, 94
Sato T, 481
Schenkel E, 321
Schlueter DP, 50
Schocket AL, 337
Schuller E, Allinquant B, Reboul J, Fournier C, Dardenne M, Bach J, 16 (Abst.)
Schulman ES, Newball HH, Demers LM, Fitzpatrick FA, Adkinson NF Jr, 17 (Abst.)
Ściślicki A, 306
Sclano G, 220 (Correspondence)
Scudamore HH, 129 (Allergy grand rounds)
Sebastiano B, 222 (Correspondence)
Secher C, 211
Shapiro SS, Kooistra JB, Schwartz D, Yunginger JW, Haning RV, 21 (Abst.)
Simon RA, 143, 220 (Correspondence)
Simons FER, 458

Simons KJ, 458
Simpson FG, Bullen AW, Robertson DAF, Losowsky MS, 16 (Abst.)
Slaughter CA, 399
Sly RM, O'Brien SR, 11 (Abst.)
Small P, 178
Smith JA, 417
Sobus S, 445
Solomon WR, 101
Splansky GL, 393
Stechschulte DJ, 445
Steel L, Kaliner M, 13 (Abst.)
Stevenson DD, 143, 220, 222 (Correspondence)
Strober W, 225 (Postgraduate course presentation)
Sullivan J, Herrod H, Levine L, 2 (Abst.)
Sullivan TJ, 221 (Correspondence), 399
Sussman GL, 337
Swedlund HA, 129 (Allergy grand rounds)
Szefler SJ, 243
Szmidt M, Grzelewska-Rzymowska I, Rozniecki J, Kowalski ML, Rychlicka I, 2 (Abst.)

T

Talal N, 465
Talamo RC, 367
Tashkin DP, 423
Thomson NC, 170
Toogood JH, 288
Turkeltaub PC, 343

U

Ueda S, 481
Uehara M, 22 (Abst.)

V

Van Dellen RG, 221 (Correspondence)
Vaz R, Senior B, Morris M, Binkiewicz A, 17 (Abst.)
Venge P, 361
Vinegar A, 393

W

Wall H, 445
Walport MJ, 73
Warren K, 82
Watanabe T, 19 (Abst.)
Watson RR, 94
Weber RW, 417
Wegner F, Fenkes A, Stemmann EA, Reinhardt D, 5 (Abst.)
Weill H, 231
Weiss JW, Drazen JM, Coles N, McFadden ER Jr, Weller PF, Corey EJ, Lewis RA, Austen KF, 9 (Abst.)
Welsh A, 205
Werth GR, 143 (Correspondence)
White RH, 465
Wiesenhutter C, 465
Wolf R, 314 (Correspondence)
Wolfe RN, 423
Wolkonsky P, 15, 67
Wypych JI, 281

Y

Yoshizawa Y, 114
Yost R, 321
Yunginger JW, 261, 432, 437

Z

Zeiss CR, 15, 19
Zimmermann EM, 261
Zweiman B, 321

# Subject index


A

Acknowledgment to reviewers, 487
Adenosine monophosphate; *see* Cyclic AMP
Adenylate cyclase activity and beta-adrenergic receptor number, lymphocyte, changes in, after allergen-induced asthmatic attack; beta-adrenergic system and allergic bronchial asthma (Meurs H et al), 272
Adrenal effects of beclomethasone inhalation therapy in asthmatic children, 17 (Abst.)
Aging, human, immunologic studies in; associated increase in anti-RNA and anti-DNA antibodies, 16 (Abst.)
in vitro functions of T cells and polymorphs, 12 (Abst.)
Airborne antigens, measurement of (Reed CE), 38
Airway(s) caliber, change in, and late asthmatic response; relationship to allergen-induced increase in bronchial responsiveness to histamine (Cartier A et al), 170
central, of asthmatics and normal subjects, selective subsensitization of beta-adrenergic receptors in during long-term therapy with inhaled salbutamol (Conolly ME et al), 423
disease, occupational, in the laboratory and workplace, evaluation of (Brooks SM), 56
reactivity in asthmatics, a new diagnostic test to assess, 9 (Abst.)
responses, immediate-type immunologic, in allergic asthmatic and nonasthmatic subjects, indomethacin modification of; evidence for altered arachidonic acid metabolism in asthma, 14 (Abst.)
Alcohol-induced bronchospasm in an asthmatic patient, 15 (Abst.)
Allergen(s) and antibodies in hay fever and bee venom, degranulation induced by; flow-cytometric analysis of human basophil degranulation, 13 (Abst.)
exposure sources, evaluation of indoor plants as (Burge HA et al), 101
extracts, mold, model for standardization of; immunochemical and physicochemical characterization of commercial *Alternaria* extracts (Agarwal MK et al), 432
house dust–bronchial provocation test, decrease of complement hemolytic activity after (Pryjma JR et al), 306
-induced asthmatic attack, changes in lymphocyte beta-adrenergic receptor number and adenylate cyclase activity after; beta-adrenergic system and allergic bronchial asthma (Meurs H et al), 272
increase in bronchial responsiveness to histamine; relationship to late asthmatic response and change in airway caliber (Cartier A et al), 170
injection, intradermal, mediator studies in skin blister fluid from patients with dual skin reactions after (Dorsch W et al), 236
potency and stability, standardized, quantitative skin test assay of; studies on allergen dose-response curve and effect of wheal, erythema, and patient selection on assay results (Turkeltaub PC et al), 343
Allergenic and antigenic determinants, shared, in *Alternaria* and *Stemphylium* extracts (Agarwal MK et al), 432
extracts, Hymenoptera venom, complement activation by (De Carolis C et al), 219 (Correspondence)
Allergenicity and antigenicity of *Polistes* venom and other vespid venoms compared (Reisman RE et al), 281
Allergic asthmatic and nonasthmatic subjects, indomethacin modification of immediate-type immunologic airway responses in; evidence for altered arachidonic acid metabolism in asthma, 14 (Abst.)
bronchial asthma and beta-adrenergic system; changes in lymphocyte beta-adrenergic receptor number and adenylate cyclase activity after allergen-induced asthmatic attack (Meurs H et al), 272
disease(s), common, and anaphylaxis, late phase of IgE-mediated reaction as a link between (Gleich GJ), 160 (Postgraduate course presentation)



July, pp. 1-72; August, pp. 73-148; September, pp. 149-224; October, pp. 225-316; November, pp. 317-406; December, pp. 407-502.

Abstracts: August, pp. 1-4; September, pp. 5-10; October, pp. 11-14; November, pp. 15-18; December, pp. 19-24.

Allergic disease(s)—Cont'd
influence of preseasonal treatment with L-tyrosine-adsorbed allergoids on IgE-mediated histamine release from basophils of children with, 5 (Abst.)
gastroenteropathy, syndrome of; food allergy manifested by eosinophilia, elevated IgE level, and protein-losing enteropathy (Scudamore HH et al), 129 (Allergy grand rounds)
nose, challenged, effect of $H_2$ blockade in (Brooks CD et al), 373
Allergoid(s) in immunotherapy of ragweed hay fever, controlled evaluation of (Norman PS et al), 248
L-tyrosine-adsorbed, preseasonal treatment with, influence on IgE-mediated histamine release from basophils of children with allergic diseases, 5 (Abst.)
Allergosorbents, particle counting immunoassay (PACIA) of IgE antibodies after their elution from by pepsin; alternative to RAST (Magnusson CGM, Masson PL), 326
Allergy(ies), atopic, intermediate $\alpha_1$-antitrypsin deficiency in, 23 (Abst.)
insect venom; lack of correlation between immunologic reactivity and clinical sensitivity (Wolf R), 314; Reply (Reisman RE), 314 (Correspondence)
miscellaneous, 2, 7, 13, 21 (Absts.)
nasal, mediators of (Mygind N), 149 (Postgraduate course presentation)
occupational, secondary to inhalation of garlic dust (Couturier J, Bousquet J), 145 (Correspondence)
penicillin, and skin testing (Sullivan TJ), 221; Reply (Van Dellen, Gelich GJ), 221 (Correspondence)
seminal plasma, induction of pregnancy in a woman with, 21 (Abst.)
skin tests, serum IgE, and smoking, relationship to respiratory disorders (Burrows B et al), 199
societies, state, regional, and local, listing of presidents of, as of January 1982, 139
*Alternaria* extracts, commercial, immunochemical and physicochemical characterization of; model for standardization of mold allergen extracts (Agarwal MK et al), 432
and *Stemphylium* extracts, shared allergenic and antigenic determinants in (Agarwal MK et al), 432
Alveolar macrophages, functional assessment of; comparison of cells from asthmatics and normal subjects (Godard P et al), 88
slow-reacting substance from, as a mechanism of asthma, 3 (Abst.)
Anaphylactic reactions in anesthesia, epidemiology and clinical features of, 13 (Abst.)
release of thromboxane $A_2$, prostaglandin $D_2$, and prostacyclin from human lung parenchyma, 17 (Abst.)
Anaphylactoid reactions during anesthesia, intradermal drug testing after, 24 (Abst.)
Anaphylaxis and common allergic disease, late phase of IgE-mediated reaction as a link between (Gleich GJ), 160 (Postgraduate course presentation)
neutrophil chemotactic factor of (Kay AB, Lee TH), 317 (Editorial)
prostaglandin-generating factor of, identification and isolation of, 13 (Abst.)
Anesthesia, epidemiology and clinical features of anaphylactic reactions in, 13 (Abst.)
intradermal drug testing after anaphylactoid reactions during, 24 (Abst.)
spinal, bronchospasm during, 8 (Abst.)
Angiotensin-converting enzyme levels, serum, in patients with pigeon breeder's disease, 9 (Abst.)
Antibody(ies) and allergens in hay fever and bee venom, degranulation induced by; flow-cytometric analysis of human basophil degranulation, 13 (Abst.)
anti-RNA and anti-DNA, associated increase in; immunologic studies in human aging, 16 (Abst.)
Antibody(ies)—Cont'd
deficiency and hypogammaglobulinemia in patients with elevated sweat chloride concentrations, 21 (Abst.)
in farmer's lung disease, comparison of ELISA and double immunodiffusion test for detection and quantitation of (Marx JJ, Gray RL), 109
IgE, particle counting immunoassay (PACIA) of after their elution from allergosorbents by pepsin; alternative to RAST (Magnusson CGM, Masson PL), 326
specific for ragweed antigen E from the basophil surface in patients with ragweed pollenosis, seasonal variation of, 11 (Abst.)
IgG and IgE, to ragweed antigens, effect of immunotherapy on (Gleich et al), 261
monoclonal, to $IgG_4$ induce histamine release from human basophils in vitro (Fagan DL et al), 399
response to vaccination with pneumococcal capsular polysaccharides in splenectomized children, 20 (Abst.)
specific IgE, results, analytic accuracy determined by a blind proficiency survey (Homburger HA, Jacob GL), 474
Anti-DNA and anti-RNA antibodies, associated increase in; immunologic studies in human aging, 16 (Abst.)
Antigen(s), airborne, measurement of (Reed CE), 38
challenge, aerosol, development of chronic pulmonary inflammation in immunized guinea pigs by; relationship of immune complex disease and cell-mediated hypersensitivity (Yoshizawa Y et al), 114
E, ragweed, from the basophil surface in patients with ragweed pollenosis, seasonal variation of IgE antibody specific for, 11 (Abst.)
-induced neutrophil chemotactic activity from sensitized lung (Schenkel E et al), 321
ragweed, effect of immunotherapy on IgE and IgG antibodies to (Gleich GJ et al), 261
Antigenic and allergenic determinants, shared, in *Alternaria* and *Stemphylium* extracts (Agarwal MK et al), 432
Antigenicity and allergenicity of *Polistes* venom and other vespid venoms compared (Reisman RE et al), 281
Antihistamine preparations, combined, rationale for topical use of; significance of $H_1$ and $H_2$ receptors in human nose (Secher C et al), 211
Antihistiminic effects and pharmacokinetics of brompheniramine (Simons FER et al), 458
$\alpha_1$-Antitrypsin deficiency, intermediate, in atopic allergy, 23 (Abst.)
Arachidonic acid metabolism in asthma, evidence for; indomethacin modification of immediate-type immunologic airway responses in allergic asthmatic and nonasthmatic subjects, 14 (Abst.)
Asbestosis and silicosis, current concepts about the pathogenesis of (deShazo RD), 41
Aspirin challenge in aspirin-sensitive asthmatics, histaminemia after, 2 (Abst.)
idiosyncracy, treatment of (Sebastiano B et al), 222; Reply (Stevenson DD), 222 (Correspondence)
-induced asthma, refractory period to aspirin after (Sclano G), 220; Reply (Stevenson DD et al), 220; Reply (Lockey RF), 221 (Correspondence)
refractory period to after aspirin-induced asthma (Sclano G), 220; Reply (Stevenson DD et al), 220; Reply (Lockey RF), 221 (Correspondence)
-sensitive asthmatics, histaminemia after aspirin challenge in, 2 (Abst.)
Asthma, aspirin-induced, refractory period to aspirin after (Sclano G), 220; Reply (Stevenson DD et al), 220; Reply (Lockey RF), 221 (Correspondence)
bronchial, allergic, and beta-adrenergic system; changes in lymphocyte beta-adrenergic receptor number and adenylate cyclase activity after allergen-induced asthmatic attack (Meurs H et al), 272

Asthma—Cont'd
evidence for altered arachidonic acid metabolism in; indomethacin modification of immediate-type immunologic airway responses in allergic asthmatic and nonasthmatic subjects, 14 (Abst.)
exercise-induced, effect of oral terbutaline on, 11 (Abst.)
inhibition by a calcium antagonist, nifedipine, 6 (Abst.)
grass pollen, children with, failure of hyposensitization in treatment of, 19 (Abst.)
growing out of; clinical and immunologic changes over five years, 5 (Abst.)
$H_2$-receptor blockade and bronchial hyperreactivity to histamine in, 1 (Abst.)
and hay fever, 1, 5, 11, 15, 19 (Absts.)
prevalence of, and health service utilization of asthmatic children in an inner city (Mak H et al), 367
severe, chronic, in steroid-independent children, flunisolide aerosol for treatment of, 8 (Abst.)
slow-reacting substance from alveolar macrophages as a mechanism of, 3 (Abst.)
due to western red cedar *(Thuja plicata)*, immunologic and nonimmunologic mechanisms in (Chan-Yeung M), 32
Asthmatic attack, allergen-induced, changes in lymphocyte beta-adrenergic receptor number and adenylate cyclase activity after; beta-adrenergic system and allergic bronchial asthma (Meurs H et al), 272
children, adrenal effects of beclomethasone inhalation therapy in, 17 (Abst.)
effect of moderate malnutrition on immediate hypersensitivity and IgE levels in (Reyes MA et al), 94
in an inner city, prevalence of asthma and health service utilization of (Mak H et al), 367
response, late, and change in airway caliber; relationship to allergen-induced increase in bronchial responsiveness to histamine (Cartier A et al), 170
Asthmatics, aerosolized terbutaline in; development of subsensitivity with long-term administration (Weber RW et al), 417
alcohol-induced bronchospasm in, 15 (Abst.)
allergic, and nonasthmatic subjects, indomethacin modification of immediate-type immunologic airway responses in; evidence for altered arachidonic acid metabolism in asthma, 14 (Abst.)
aspirin-sensitive, histaminemia after aspirin challenge in, 2 (Abst.)
atopic, exercise-induced release of histamine and neutrophil chemotactic factor in (Lee TH et al), 73
chronic, response to aerosol steroid, budesonide, influence of dosing frequency and schedule on (Toogood JH et al), 288
new diagnostic test to assess airway reactivity in, 9 (Abst.)
and normal subjects, comparison of cells from for functional assessment of alveolar macrophages (Godard P et al), 88
selective subsensitization of beta-adrenergic receptors in central airways of, during long-term therapy with inhaled salbutamol (Conolly ME et al), 423
pregnant, placental theophylline transfer in, 10 (Abst.)
Atopic allergy, intermediate $\alpha_1$-antitrypsin deficiency in, 23 (Abst.)
asthmatics, exercise-induced release of histamine and neutrophil chemotactic factor in (Lee TH et al), 73
cataracts vs steroid cataracts, 8 (Abst.)
dermatitis, increased vasoactive mediator releasability as a possible pathogenic factor of, 16 (Abst.)
reduced histamine reaction in, 22 (Abst.)
disease, elevated leukocyte cyclic AMP– phosphodiesterase in; possible mechanism for cyclic AMP–agonist hyporesponsiveness (Grewe SR et al), 452
Atropine, low-dose topical, for rhinorrhea, 18 (Abst.)

B

Basophil(s) of children with allergic diseases, influence of preseasonal treatment with L-tyrosine-adsorbed allergoids on IgE-mediated histamine release from, 5 (Abst.)
degranulation, human, flow-cytometric analysis of; degranulation induced by allergens and antibodies in hay fever and bee venom, 13 (Abst.)
human, monoclonal antibodies to $IgG_4$ induce histamine release from, in vitro (Fagan DL et al), 399
releasability in the newborn; factors limiting IgE-mediated histamine release, 3 (Abst.)
BCG vaccination, juvenile melanoma after, 12 (Abst.)
Beclomethasone dipropionate in subpopulations of perennial rhinitis patients, effects of treatment with (Small P et al), 178
inhalation therapy in asthmatic children, adrenal effects of, 17 (Abst.)
Beta-adrenergic receptors in central airways of asthmatics and normal subjects, selective subsensitization of during long-term therapy with inhaled salbutamol (Conolly ME et al), 423
system and allergic bronchial asthma; changes in lymphocyte beta-adrenergic receptor number and adenylate cyclase activity after allergen-induced asthmatic attack (Meurs H et al), 272
tachyphylaxis (Jenne JW), 413 (Editorial)
therapy, chronic, effect on human lymphocyte response to concanavalin A, 23 (Abst.)
Bioavailability assessment of a liquid prednisone preparation (Georgitis JW et al), 243
Brompheniramine, pharmacokinetics and antihistaminic effects of (Simons FER et al), 458
Bronchial asthma, allergic and beta-adrenergic system; changes in lymphocyte beta-adrenergic receptor number and adenylate cyclase activity after allergen-induced asthmatic attack (Meurs H et al), 272
hyperreactivity to histamine and $H_2$-receptor blockade in asthma, 1 (Abst.)
provocation test, house dust–allergen, decrease in complement hemolytic activity after (Pryjma JR et al), 306
reactivity, increased incidence in children with history of bronchiolitis, 23 (Abst.)
responsiveness to histamine, allergen-induced increase in; relationship to late asthmatic response and change in airway caliber (Cartier A et al), 170
Bronchiolitis, increased incidence of bronchial reactivity in children with history of, 23 (Abst.)
theophylline therapy in, 7 (Abst.)
Bronchitis, wheezy, children with, and their first degree relations, serum IgE levels in, 22 (Abst.)
Bronchoconstrictor effects of leukotriene C in humans, 9 (Abst.)
Bronchospasm, alcohol-induced, in an asthmatic patient, 15 (Abst.)
during spinal anesthesia, 8 (Abst.)
Budesonide, aerosol steroid, influence of dosing frequency and schedule on response of chronic asthmatics to (Toogood JH et al), 288

C

C3 and factor B, human, in vitro effects of iodipamide on (Durda PJ et al), 353
Calcium antagonist, nifedipine, inhibition of exercise-induced asthma by, 6 (Abst.)
Cancer, skin, primary, in ultraviolet-irradiated mice, suppressor T lymphocytes control development of, 15 (Abst.)
Cataracts, atopic, vs steroid cataracts, 8 (Abst.)
Catecholamine release, endogenous, stimulation by theophylline; proposed additional mechanism of action for theophylline effects (Higbee MD et al), 377

Cell-mediated hypersensitivity and immune complex disease, relationship in development of chronic pulmonary inflammation in immunized guinea pigs by aerosol challenge with antigen (Yoshizawa Y et al), 114
immunity to gluten and HLA-B8, 16 (Abst.)
Chemotactic activity, neutrophil, antigen-induced, from sensitized lung (Schenkel E et al), 321
factor of anaphylaxis, neutrophil (Kay AB, Lee TH), 317 (Editorial)
Chemotaxis, neutrophil, depressed, in infants with cow's milk and/or soy protein intolerance, 22 (Abst.)
Children with allergic diseases, influence of preseasonal treatment with L-tyrosine-adsorbed allergoids on IgE-mediated histamine release from basophils of, 5 (Abst.)
asthmatic, adrenal effects of beclomethasone inhalation therapy in, 17 (Abst.)
effect of moderate malnutrition on immediate hypersensitivity and IgE levels in (Reyes MA et al), 94
in an inner city, prevalence of asthma and health service utilization of (Mak H et al), 367
with grass-pollen asthma, failure of hyposensitization in treatment of, 19 (Abst.)
with history of bronchiolitis, increased incidence of bronchial reactivity in, 23 (Abst.)
splenectomized, antibody response to vaccination with pneumococcal capsular polysaccharides in, 20 (Abst.)
steroid-independent, flunisolide aerosol for treatment of severe, chronic asthma in, 8 (Abst.)
with wheezy bronchitis and their first degree relations, serum IgE levels in, 22 (Abst.)
Cold urticaria in infectious mononucleosis, 21 (Abst.)
Complement activation by Hymenoptera venom allergenic extracts (De Carolis C et al), 219 (Correspondence)
hemolytic activity after an allergen–house dust–bronchial provocation test, decrease of (Pryjma JR et al), 306
Concanavalin A, effect of chronic beta-adrenergic therapy on human lymphocyte response to, 23 (Abst.)
Cromolyn sodium nasal solution (4%), response of nonallergic rhinitis with eosinophilia syndrome (NARES) to (Nelson BL, Jacobs RL), 125
Cyclic AMP–agonist hyporesponsiveness, possible mechanism for; elevated leukocyte cyclic AMP–phosphodiesterase in atopic disease (Grewe SR et al), 452
–phosphodiesterase, leukocyte, in atopic disease, elevated; possible mechanism for cyclic AMP–agonist hyporesponsiveness (Grewe SR et al), 452

D

Dermatitis, atopic, increased vasoactive mediator releasability as a possible pathogenic factor of, 16 (Abst.)
reduced histamine reaction in, 22 (Abst.)
Diisocyanate sensitization, guinea pig model of; immunologic studies (Chen SE, Bernstein IL), 383
physiologic studies (Bernstein IL et al), 393
(toluene) reactivity, development and loss of; immunologic, pharmacologic, and provocative challenge studies (Butcher BT et al), 231
Dimethylglycine in humans, immunomodulating properties of, 4 (Abst.)
Double immunodiffusion test and ELISA for detection and quantitation of antibodies in farmer's lung disease, comparison of (Marx JJ, Gray RL), 109
Drug testing, intradermal, after anaphylactoid reactions during anesthesia, 24 (Abst.)

E

ELISA; *see* Enzyme-linked immunosorbent assay
Enteropathy, protein-losing, eosinophilia, and elevated IgE level, food allergy manifested by; the syndrome of allergic gastroenteropathy (Scudamore HH et al), 129 (Allergy grand rounds)
Enzyme, angiotensin-converting, serum levels in patients with pigeon breeder's disease, 9 (Abst.)
-linked immunosorbent assay and double immunodiffusion test for detection and quantitation of antibodies in farmer's lung disease, comparison of (Marx JJ, Gray RL), 109
quantitative, for honeybee venom–specific IgG (Reid MJ et al), 191
Eosinophil cationic protein and eosinophil protein X, Gordon phenomenon induced by (Fredens K et al), 361
protein X and eosinophil cationic protein, Gordon phenomenon induced by (Fredens K et al), 361
Eosinophilia, elevated IgE level, and protein-losing enteropathy, food allergy manifested by; the syndrome of allergic gastroenteropathy (Scudamore HH et al), 129 (Allergy grand rounds)
with nonallergic rhinitis syndrome (NARES), response to 4% cromolyn sodium nasal solution (Nelson BL, Jacobs RL), 125
Erythema, wheal, and patient selection, effect on assay results, and allergen dose-response curve; standardized quantitative skin test assay of allergen potency and stability (Turkeltaub PC et al), 343
Exercise-induced asthma, effect of oral terbutaline on, 11 (Abst.)
inhibition by a calcium antagonist, nifedipine, 6 (Abst.)
release of histamine and neutrophil chemotactic factor in atopic asthmatics (Lee TH et al), 73

F

Factor B and C3, human, in vitro effects of iodipamide on (Durda PJ et al), 353
Farmer's lung disease, comparison of ELISA and double immunodiffusion test for detection and quantitation of antibodies in (Marx JJ, Gray RL), 109
Fire ant, imported, sting of, neurologic sequelae following (Fox RW et al), 120
Flunisolide aerosol for treatment of severe, chronic asthma in steroid-independent children, 8 (Abst.)
Food allergy manifested by eosinophilia, elevated IgE level, and protein-losing enteropathy; the syndrome of allergic gastroenteropathy (Scudamore HH et al), 129 (Allergy grand rounds)
challenge, double-blind, in diagnosis of food sensitivity in adults (Bernstein M et al), 205
sensitivity in the adult, double-blind food challenge in diagnosis of (Bernstein M et al), 205

G

Garlic dust, occupational allergy secondary to inhalation of (Couturier J, Bousquet J), 145 (Correspondence)
Gastroenteropathy, allergic, the syndrome of; food allergy manifested by eosinophilia, elevated IgE level, and protein-losing enteropathy (Scudamore HH et al), 129 (Allergy grand rounds)
Gluten, HLA-B8 and cell-mediated immunity to, 16 (Abst.)
Goodpasture's syndrome, particular immunologic aspects of, 12 (Abst.)
Gordon phenomenon induced by the eosinophil cationic protein and eosinophil protein X (Fredens K et al), 361
Grass-pollen asthma, children with, failure of hyposensitization in treatment of, 19 (Abst.)
Guinea pig model of diisocyanate sensitization, immunologic studies (Chen SE, Bernstein IL), 383
physiologic studies (Bernstein IL et al), 393

H

$H_1$ and $H_2$ receptors in human nose, significance of; rationale for topical use of combined antihistamine preparations (Secher C et al), 211
$H_2$ blockade, effect in the challenged allergic nose (Brooks CD et al), 373
-receptor blockade and bronchial hyperreactivity to histamine in asthma, 1 (Abst.)
Hay fever and asthma, 1, 5, 11, 15, 19 (Absts.)
and bee venom, degranulation induced by allergens and antibodies in; flow-cytometric analysis of human basophil degranulation, 13 (Abst.)
ragweed, controlled evaluation of allergoid in immunotherapy of (Norman PS et al), 248
Headache, cluster and migraine, effect of infused prostacyclin in, 18 (Abst.)
Health service utilization of asthmatic children and prevalence of asthma in an inner city (Mak H et al), 367
Heterogeneity, functional, of helper T cells; two distinct helper T cells are required for production of T cell growth factor, 20 (Abst.)
mast cell; derivation and function, with emphasis on intestine (Bienenstock J et al), 407 (Postgraduate course presentation)
Histamine, bronchial hyperreactivity to, and $H_2$-receptor blockade in asthma, 1 (Abst.)
responsiveness to, allergen-induced increase in; relationship to late asthmatic response and change in airway caliber (Cartier A et al), 170
and neutrophil chemotactic factor, exercise-induced release in atopic asthmatics (Lee TH et al), 73
plasma, measurement of; description of an improved method and normal values (Dyer J et al), 82
reaction, reduced, in atopic dermatitis, 22 (Abst.)
release from human basophils induced in vitro by monoclonal antibodies to $IgG_4$ (Fagan DL et al), 399
IgE-mediated, from basophils of children with allergic diseases, influence of preseasonal treatment with L-tyrosine-adsorbed allergoids on, 5 (Abst.)
factors limiting; basophil-releasability in the newborn, 3 (Abst.)
leukocyte, venom-induced, modulation by mononuclear cells; effect of venom immunotherapy (Mahmood T et al), 445
from mast cells, *Physalia* venom mediates, 17 (Abst.)
Histaminemia after aspirin challenge in aspirin-sensitive asthmatics, 2 (Abst.)
HLA-B8 and cell-mediated immunity to gluten, 16 (Abst.).
Honeybee venom–specific IgG, quantitative ELISA for (Reid MJ et al), 191
House dust–allergen–bronchial provocation test, decrease of complement hemolytic activity after (Pryjma JR et al), 306
Human aging, immunologic studies in; associated increase in anti-RNA and anti-DNA antibodies, 16 (Abst.)
in vitro functions of T cells and polymorphs, 12 (Abst.)
basophils degranulation, flow-cytometric analysis of; degranulation induced by allergens and antibodies in hay fever and bee venom, 13 (Abst.)
monoclonal antibodies to $IgG_4$ induce histamine release from, in vitro (Fagan DL et al), 399
C3 and factor B, in vitro effects of iodipamide on (Durda PJ et al), 353
lung parenchyma, anaphylactic release of thromboxane $A_2$, prostaglandin $D_2$, and prostacyclin from, 17 (Abst.)
lymphocyte response to concanavalin A, effect of chronic beta-adrenergic therapy on, 23 (Abst.)
nose, significance of $H_1$ and $H_2$ receptors in; rationale for topical use of combined antihistamine preparations (Secher C et al), 211
Humans, bronchoconstrictor effects of leukotriene C in, 9 (Abst.)
immunomodulating properties of dimethylglycine in, 4 (Abst.)
Hybridoma, suppressor T-cell, characterization of an IgE-class-specific suppressor factor secreted by, 19 (Abst.)
Hymenoptera venom allergenic extracts, complement activation by (De Carolis C et al), 219 (Correspondence)
Hyperplasia, B-cell nodular lymphoid, and T-cell nodular lymphoid interstitial pneumonitis, common variable hypogammaglobulinemia with; different lymphocyte populations with similar response to prednisone therapy (Kohler PF et al), 299
Hyperreactivity, bronchial, to histamine and $H_2$-receptor blockade in asthma, 1 (Abst.)
Hypersensitivity, cell-mediated, and immune complex disease, relationship in development of chronic pulmonary inflammation in immunized guinea pigs by aerosol challenge with antigen (Yoshizawa Y et al), 114
immediate, and IgE levels in asthmatic children, effect of moderate malnutrition on (Reyes MA et al), 94
pneumonitis, infiltrative lung disease (Schlueter DP), 50
Hypogammaglobulinemia and antibody deficiency in patients with elevated sweat chloride concentrations, 21 (Abst.)
common variable, with T-cell nodular lymphoid interstitial pneumonitis and B-cell nodular lymphoid hyperplasia; different lymphocyte populations with similar response to prednisone therapy (Kohler PF et al), 299
Hyporesponsiveness, cyclic AMP–agonist, possible mechanism for; elevated leukocyte cyclic AMP–phosphodiesterase in atopic disease (Grewe SR et al), 452
Hyposensitization in treatment of children with grass-pollen asthma, failure of, 19 (Abst.)

I

Immune complex disease and cell-mediated hypersensitivity, relationship in development of chronic pulmonary inflammation in immunized guinea pigs by aerosol challenge with antigen (Yoshizawa Y et al), 114
system, mucosal, regulation of (Strober W), 225 (Postgraduate course presentation)
Immunity, cell-mediated, to gluten, and HLA-B8, 16 (Abst.)
Immunoassay, particle counting (PACIA), of IgE antibodies after their elution from allergosorbents by pepsin; alternative to RAST (Magnusson CGM, Masson PL), 326
Immunoglobulin E antibody(ies), particle counting immunoassay (PACIA) of after their elution from allergosorbents by pepsin; alternative to RAST (Magnusson CGM, Masson PL), 326
results, specific, analytic accuracy determined by a blind proficiency survey (Homburger HA, Jacob GL), 474
specific for ragweed antigen E from the basophil surface in patients with ragweed pollenosis, seasonal variation of, 11 (Abst.)
binding factors, regulation of IgE response by, 1 (Abst.)
–class-specific suppressor factor secreted by suppressor T-cell hybridoma, characterization of, 19 (Abst.)
and IgG antibodies to ragweed antigens, effect of immunotherapy on (Gleich GJ et al), 261
level(s), elevated, eosinophilia, and protein-losing enteropathy, food allergy manifested by; the syndrome of allergic gastroenteropathy (Scudamore HH et al), 129 (Allergy grand rounds)
and immediate hypersensitivity in asthmatic children, effect of moderate malnutrition on (Reyes MA et al), 94
serum, in children with wheezy bronchitis and their first degree relations, 22 (Abst.)
-mediated disease, RAST for diagnosis of (Moroz LA), 315; Reply (Adkinson NF Jr), 316 (Correspondence)

IgE-mediated—Cont'd
histamine release from basophils of children with allergic diseases, influence of preseasonal treatment with L-tyrosine-adsorbed allergoids on, 5 (Abst.)
factors limiting; basophil releasability in the newborn, 3 (Abst.)
reaction, late phase of; link between anaphylaxis and common allergic disease (Gleich GJ), 160 (Postgraduate course presentation)
response, regulation by IgE binding factors, 1 (Abst.)
serum, allergy skin tests, and smoking, relationship to respiratory disorders (Burrows B et al), 199
transfused, in newborns (Hamburger RN, Orgel HA), 143 (Correspondence)
G, honeybee venom–specific, quantitative ELISA for (Reid MJ et al), 191
and IgE antibodies to ragweed antigens, effect of immunotherapy on (Gleich GJ et al), 261
$G_4$, monoclonal antibodies to, inducing histamine release in human basophils in vitro (Fagan DL et al), 399
Immunologic lung disease, occupational, evaluation of the patient for (Fink JN), 11
overview of (Salvaggio JE), 5
and nonimmunologic mechanisms in asthma due to western red cedar *(Thuja plicata)* (Chan-Yeung M), 32
studies on human aging; in vitro functions of T cells and polymorphs, 12 (Abst.)
Immunology, 1, 6, 12, 15, 19 (Absts.)
and immunopathology of trimellitic anhydride pulmonary reactions (Patterson R et al), 19
Immunomodulating properties of dimethylglycine in humans, 4 (Abst.)
Immunopathology and immunology of trimellitic anhydride pulmonary reactions (Patterson R et al), 19
Immunotherapy, effect on IgE and IgG antibodies to ragweed antigens (Gleich GJ et al), 261
of ragweed hay fever, controlled evaluation of allergoid in (Norman PS et al), 248
standard, and Rinkel injection therapy compared (Hirsch SR et al), 183
venom, effect on modulation of venom-induced leukocyte histamine release by mononuclear cells (Mahmood T et al), 445
Imported fire ant sting, neurologic sequelae following (Fox RW et al), 120
In memoriam, 313
Indomethacin modification of immediate-type immunologic airway responses in allergic asthmatic and nonasthmatic subjects; evidence for altered arachidonic acid metabolism in asthma, 14 (Abst.)
Industrial physician and occupational lung disease (Wolkonsky P), 67
Infants with cow's milk and/or soy protein intolerance, depressed neutrophil chemotaxis in, 22 (Abst.)
Infiltrative lung disease hypersensitivity pneumonitis (Schlueter DP), 50
Inflammation, pulmonary, chronic, development in immunized guinea pigs by aerosol challenge with antigen; relationship of immune complex disease and cell-mediated hypersensitivity (Yoshizawa Y et al), 114
Inhalational challenge with methacholine, clinical applicability of, 4 (Abst.)
Insect venom allergy; lack of correlation between immunologic reactivity and clinical sensitivity (Wolf R), 314; Reply (Reisman RE), 314 (Correspondence)
Interferon, intrathecal, reduces exacerbation of multiple sclerosis, 6 (Abst.)
Intestine, emphasis on, in derivation and function of mast cell heterogeneity (Bienenstock J et al), 407 (Postgraduate course presentation)
Iodipamide effects on human C3 and factor B in vitro (Durda PJ et al), 353
Isocyanate-induced pulmonary diseases; a current perspective (Bernstein IL), 24

L

Leukocyte cyclic AMP–phosphodiesterase in atopic disease, elevated; possible mechanism for cyclic AMP–agonist hyporesponsiveness (Grewe SR et al), 452
histamine release, venom-induced, modulation by mononuclear cells; effect of venom immunotherapy (Mahmood T et al), 445
Leukotriene C in humans, bronchoconstrictor effects of, 9 (Abst.)
Lung disease, infiltrative, hypersensitivity pneumonitis (Schlueter DP), 50
occupational immunologic, evaluation of the patient for (Fink JN), 11
overview of (Salvaggio JE), 5
and the industrial physician (Wolkonsky P), 67
parenchyma, human, anaphylactic release of thromboxane $A_2$, prostaglandin $D_2$, and prostacyclin from, 17 (Abst.)
sensitized, antigen-induced neutrophil chemotactic activity from (Schenkel E et al), 321
Lupus erythematosus, systemic, panhypogammaglobulinemia in; in vitro demonstration of multiple cellular defects (Ashman RF et al), 465
Lymphocyte beta-adrenergic receptor number and adenylate cyclase activity, changes in, after allergen-induced asthmatic attack; beta-adrenergic system and allergic bronchial asthma (Meurs H et al), 272
response, human, to concanavalin A, effect of chronic beta-adrenergic therapy on, 23 (Abst.)

M

Macrophages, alveolar, functional assessment of; comparison of cells from asthmatics and normal subjects (Godard P et al), 88
slow-reacting substance from, as a mechanism of asthma, 3 (Abst.)
Malnutrition, moderate, effects on immediate hypersensitivity and IgE levels in asthmatic children (Reyes MA et al), 94
Mast cell(s) heterogeneity; derivation and function, with emphasis on intestine (Bienenstock J et al), 407 (Postgraduate course presentation)
*Physalia* venom mediates histamine release from, 17 (Abst.)
Mediator releasability, vasoactive, increased; possible pathogenic factor of atopic dermatitis, 16 (Abst.)
studies in skin blister fluid from patients with dual skin reactions after intradermal allergen injection (Dorsch W et al), 236
Melanoma, juvenile, after BCG vaccination, 12 (Abst.)
Metabisulfite, inhaled, sensitivity to (Werth GR), 143; Reply (Stevenson DD, Simon RA), 143 (Correspondence)
Methacholine inhalational challenge, clinical applicability of, 4 (Abst.)
Mice, ultraviolet-irradiated, suppressor T lymphocytes control development of primary skin cancer in, 15 (Abst.)
Migraine and cluster headache, effect of infused prostacyclin in, 18 (Abst.)
Milk (cow's) and/or soy protein intolerance, depressed neutrophil chemotaxis in infants with, 22 (Abst.)
Miscellaneous allergies, 2, 7, 13, 21 (Absts.)
Mold allergen extracts, model for standardization of; immunochemical and physicochemical characterization of commercial *Alternaria* extracts (Agarwal MK et al), 432
Monoclonal antibodies to $IgG_4$ induce histamine release from human basophils in vitro (Fagan DL et al), 399

Mononuclear cells, modulation of venom-induced leukocyte histamine release by; effect of venom immunotherapy (Mahmood T et al), 445
Mononucleosis, infectious, cold urticaria in, 21 (Abst.)
Mucosal immune system, regulation of (Strober W), 225 (Postgraduate course presentation)
Multiple sclerosis, intrathecal interferon reduces exacerbation of, 6 (Abst.)

N

NARES; *see* Nonallergic rhinitis with eosinophilia syndrome
Nasal allergy, mediators of (Mygind N), 149 (Postgraduate course presentation)
Neurologic sequelae following the imported fire ant sting (Fox RW et al), 120
Neutrophil chemotactic activity, antigen-induced, from sensitized lung (Schenkel E et al), 321
factor of anaphylaxis (Kay AB, Lee TH), 317 (Editorial)
and histamine, exercise-induced release in atopic asthmatics (Lee TH et al), 73
chemotaxis, depressed, in infants with cow's milk and/or soy protein intolerance, 22 (Abst.)
Newborn(s), basophil releasability in; factors limiting IgE-mediated histamine release, 3 (Abst.)
transfused IgE in (Hamburger RN, Orgel HA), 143 (Correspondence)
Nifedipine, calcium antagonist, inhibition of exercise-induced asthma by, 6 (Abst.)
Nonallergic rhinitis with eosinophilia syndrome (NARES), response to 4% cromolyn sodium nasal solution (Nelson BL, Jacobs RL), 125
Nose, allergic, challenged, effect of $H_2$ blockade in (Brooks CD et al), 373
human, significance of $H_1$ and $H_2$ receptors in; rationale for topical use of combined antihistamine preparations (Secher C et al), 211

O

Occupational airways disease in the laboratory and workplace, evaluation of (Brooks SM), 56
allergy secondary to inhalation of garlic dust (Couturier P, Bousquet J), 145 (Correspondence)
immunologic lung disease, evaluation of the patient for (Fink JN), 11
overview of (Salvaggio JE), 5
and the industrial physician (Wolkonsky P), 67

P

PACIA; *see* Particle counting immunoassay
Panhypogammaglobulinemia in systemic lupus erythematosus; in vitro demonstration of multiple cellular defects (Ashman RF et al), 465
Particle counting immunoassay (PACIA) of IgE antibodies after their elution from allergosorbents by pepsin; alternative to RAST (Magnusson CGM, Masson PL), 326
Pediatrics, 2, 7, 17, 22 (Absts.)
Penicillin allergy and skin testing (Sullivan TJ), 221; Reply (Van Dellen, Gleich GJ), 221 (Correspondence)
Pepsin, particle counting immunoassay (PACIA) of IgE antibodies after their elution from allergosorbents by; alternative to RAST (Magnusson CGM, Masson PL), 326
Pharmacokinetics and antihistaminic effects of brompheniramine (Simons FER et al), 458
Pharmacology, physiology, and pathology, 3, 8, 13, 17, 23 (Absts.)
Phosphodiesterase–cyclic AMP, leukocyte, in atopic disease, elevated; possible mechanism for cyclic AMP–agonist hyporesponsiveness (Grewe SR et al), 452
*Physalia* venom mediates histamine release from mast cells, 17 (Abst.)
Physician, industrial, and occupational lung disease (Wolkonsky P), 67
Pigeon breeder's disease, patients with, serum angiotensin-converting enzyme levels in, 9 (Abst.)
Pituitary-thyroid axis, effect of sustained-release theophylline on (Hiratani M et al), 481
Placental theophylline transfer in pregnant asthmatics, 10 (Abst.)
Plants, indoor, as allergen exposure sources, evaluation of (Burge HA et al), 101
Plasma histamine, measurement of; description of an improved method and normal values (Dyer J et al), 82
Pneumococcal capsular polysaccharides, vaccination with in splenectomized children, antibody response to, 20 (Abst.)
Pneumonitis, hypersensitivity, infiltrative lung disease (Schlueter DP), 50
T-cell nodular lymphoid interstitial, and B-cell nodular lymphoid hyperplasia, common variable hypogammaglobulinemia with; different lymphocyte populations with similar response to prednisone therapy (Kohler PF et al), 299
*Polistes* venom and other vespid venoms compared, allergenicity and antigenicity of (Reisman RE et al), 281
Pollenosis, ragweed, patients with, seasonal variation of IgE antibody specific for ragweed antigen E from the basophil surface in, 11 (Abst.)
Polymorphs and T cells, in vitro functions of; immunologic studies on human aging, 12 (Abst.)
Polysaccharides, pneumococcal capsular, vaccination with in splenectomized children, antibody response to, 20 (Abst.)
Prednisone preparation, liquid, bioavailability assessment of (Georgitis JW et al), 243
therapy, different lymphocyte populations with similar response to; common variable hypogammaglobulinemia with T-cell nodular lymphoid interstitial pneumonitis and B-cell nodular lymphoid hyperplasia (Kohler PF et al), 299
Pregnancy, induction in a woman with seminal plasma allergy, 21 (Abst.)
Pregnant asthmatics, placental theophylline transfer in, 10 (Abst.)
Presidents of state, regional, and local allergy societies as of January 1982, 139
Prostacyclin, infused, effect in migraine and cluster headache, 18 (Abst.)
thromboxane $A_2$, and prostaglandin $D_2$, anaphylactic release from human lung parenchyma, 17 (Abst.)
Prostaglandin-generating factor of anaphylaxis, identification and isolation of, 13 (Abst.)
$D_2$, thromboxane $A_2$, and prostacyclin, anaphylactic release from human lung parenchyma, 17 (Abst.)
Protein, eosinophil cationic, and eosinophil protein X, Gordon phenomenon induced by (Fredens K et al), 361
-losing enteropathy, eosinophilia, and elevated IgE level, food allergy manifested by; the syndrome of allergic gastroenteropathy (Scudamore HH et al), 129 (Allergy grand rounds)
X, eosinophil, and eosinophil cationic protein, Gordon phenomenon induced by (Fredens K et al), 361
Pulmonary diseases, isocyanate-induced; a current perspective (Bernstein IL), 24
inflammation, chronic, development in immunized guinea pigs by aerosol challenge with antigen; relationship of immune complex disease and cell-mediated hypersensitivity (Yoshizawa Y et al), 114
reactions, trimellitic anhydride, immunology and immunopathology of (Patterson R et al), 19

R

Radioallergosorbent test, alternative to; particle counting immunoassay of IgE antibodies after their elution from allergosorbents by pepsin (Magnusson CGM, Masson PL), 326

Radioallergosorbent test—Cont'd
for diagnosis of IgE-mediated disease (Moroz LA), 315; Reply (Adkinson NF Jr), 316 (Correspondence)
Ragweed antigens, effect of immunotherapy on IgE and IgG antibodies to (Gleich GJ et al), 261
antigen E from the basophil surface in patients with ragweed pollenosis, seasonal variation of IgE antibody specific for, 11 (Abst.)
hay fever, controlled evaluation of allergoid in immunotherapy of (Norman PS et al), 248
pollenosis, patients with, seasonal variation of IgE antibody specific for ragweed antigen E from the basophil surface in, 11 (Abst.)
RAST; *see* Radioallergosorbent test
Respiratory disorders, relationship to serum IgE, allergy skin tests, and smoking (Burrows B et al), 199
Rhinitis, nonallergic, with eosinophilia syndrome (NARES), response to 4% cromolyn sodium nasal solution (Nelson BL, Jacobs RL), 125
perennial, patients with, subpopulations of, effects of treatment with beclomethasone dipropionate in (Small P et al), 178
Rhinorrhea, low-dose topical atropine for, 18 (Abst.)
Rinkel injection therapy and standard immunotherapy compared (Hirsch SR et al), 183

S

Salbutamol, inhaled, selective subsensitization of beta-adrenergic receptors in central airways of asthmatics and normal subjects during long-term therapy with (Conolly ME et al), 423
Schick test, 2 (Abst.)
Seminal plasma allergy, induction of pregnancy in a woman with, 21 (Abst.)
Sensitivity, food, in the adult, double-blind food challenge in diagnosis of (Bernstein M et al), 205
Silicosis and asbestosis, current concepts about the pathogenesis of (deShazo RD), 41
Skin blister fluid from patients with dual skin reactions after intradermal allergen injection, mediator studies in (Dorsch W et al), 236
cancer, primary, in ultraviolet-irradiated mice, suppressor T lymphocytes control development of, 15 (Abst.)
reactions, dual, after intradermal allergen injection, mediator studies in skin blister fluid from patients with (Dorsch W et al), 236
test(s), allergy, serum IgE, and smoking, relationship to respiratory disorders (Burrows B et al), 199
assay of allergen potency and stability, standardized, quantitative; studies on allergen dose-response curve and effect of wheal, erythema, and patient selection on assay results (Turkeltaub PC et al), 343
and penicillin allergy (Sullivan TJ), 221; Reply (Van Dellen RG, Gleich GJ), 221 (Correspondence)
Slow-reacting substance from alveolar macrophages as a mechanism of asthma, 3 (Abst.)
Smoking, serum IgE, and allergy skin tests, relationship to respiratory disorders (Burrows B et al), 199
Soy protein and/or cow's milk intolerance, depressed neutrophil chemotaxis in infants with, 22 (Abst.)
Spinal anesthesia, bronchospasm during, 8 (Abst.)
Splenectomized children, antibody response to vaccination with pneumococcal capsular polysaccharides in, 20 (Abst.)
*Stemphylium* and *Alternaria* extracts, shared allergenic and antigenic determinants in (Agarwal MK et al), 432
Steroid cataracts vs atopic cataracts, 8 (Abst.)
-independent children, flunisolide aerosol for treatment of severe, chronic asthma in, 8 (Abst.)
Sting, imported fire ant, neurologic sequelae following (Fox RW et al), 120
Subsensitivity, development with long-term administration of aerosolized terbutaline in asthmatics (Weber RW et al), 417
Subsensitization, selective, of beta-adrenergic receptors in central airways of asthmatics and normal subjects during long-term therapy with inhaled salbutamol (Conolly ME et al), 423
Suppressor factor, IgE-class-specific, secreted by suppressor T-cell hybridoma, characterization of, 19 (Abst.)
T-cell hybridoma, characterization of an IgE-class-specific suppressor factor secreted by, 19 (Abst.)
Sweat chloride concentrations, elevated, hypogammaglobulinemia and antibody deficiency in patients with, 21 (Abst.)
Systemic lupus erythematosus, panhypogammaglobulinemia in; in vitro demonstration of multiple cellular defects (Ashman RF et al), 465

T

T cell(s) growth factor, two distinct helper T cells required for production of; functional heterogeneity of helper T cells, 20 (Abst.)
helper, functional heterogeneity of; two distinct helper T cells are required for production of T cell growth factor, 20 Abst.)
hybridoma, suppressor, characterization of an IgE-class-specific suppressor factor secreted by, 19 (Abst.)
nodular lymphoid interstitial pneumonitis and B-cell nodular lymphoid hyperplasia, common variable hypogammaglobulinemia with; different lymphocyte populations with similar response to prednisone therapy (Kohler PF et al), 299
and polymorphs, in vitro functions of; immunologic studies on human aging, 12 (Abst.)
lymphocytes, suppressor, control development of primary skin cancer in ultraviolet-irradiated mice, 15 (Abst.)
Tachyphylaxis, beta-adrenergic (Jenne JW), 413 (Editorial)
Terbutaline, aerosolized, in asthmatics; development of subsensitivity with long-term administration (Weber RW et al), 417
oral, effect on exercise-induced asthma, 11 (Abst.)
Tetanus toxoid, adverse reactions to, 7 (Abst.)
Theophylline effects, proposed additional mechanism of action for; stimulation of endogenous catecholamine release by theophylline (Higbee MD et al), 377
placental, transfer of, in pregnant asthmatics, 10 (Abst.)
stimulation of endogenous catecholamine release by; proposed additional mechanism of action for theophylline effects (Higbee MD et al), 377
sustained-release, effect on pituitary-thyroid axis (Hiratani M et al), 481
therapy in bronchiolitis, 7 (Abst.)
Thromboxane $A_2$, prostaglandin $D_2$, and prostacyclin, anaphylactic release from human lung parenchyma, 17 (Abst.)
*Thuja plicata; see* Western red cedar
Toluene diisocyanate reactivity, development and loss of; immunologic, pharmacologic, and provocative challenge studies (Butcher BT et al), 231
Toxoid, tetanus, adverse reactions to, 7 (Abst.)
Trimellitic anhydride pulmonary reactions, immunology and immunopathology of (Patterson R et al), 19
workers, clinical and immunologic evaluation of in multiple industrial settings (Zeiss CR et al), 15
L-Tyrosine-adsorbed allergoids, preseasonal treatment with, influence on IgE-mediated histamine release from basophils of children with allergic diseases, 5 (Abst.)

U

Urticaria, cold, in infectious mononucleosis, 21 (Abst.)
delayed pressure (Sussman GL et al), 337
physically induced; cold-induced cholinergic urticaria (Wolf R, Feuerman EJ), 314; Reply (Kaplan AP), 315 (Correspondence)

V

Vaccination, BCG, juvenile melanoma after, 12 (Abst.)
Venom allergy, insect; lack of correlation between immunologic reactivity and clinical sensitivity (Wolf R), 314; Reply (Reisman RE), 314 (Correspondence)
bee, and hay fever, degranulation induced by allergens and antibodies in; flow-cytometric analysis of human basophil degranulation, 13 (Abst.)
Hymenoptera, allergenic extracts, complement activation by (De Carolis C et al), 219 (Correspondence)
immunotherapy, effect on modulation of venom-induced leukocyte histamine release by mononuclear cells (Mahmood T et al), 445
-induced leukocyte histamine release, modulation by mononuclear cells; effect of venom immunotherapy (Mahmood T et al), 445
*Physalia*, mediates histamine release from mast cells, 17 (Abst.)
*Polistes* and other vespids, allergenicity and antigenicity compared (Reisman RE et al), 281

W

Western red cedar *(Thuja plicata)*, immunologic and nonimmunologic mechanisms in asthma due to (Chan-Yeung M), 32
Wheal, erythema, and patient selection, effect on assay results, and allergen dose-response curve; standardized quantitative skin test assay of allergen potency and stability (Turkeltaub PC et al), 343